




HARRISON & CLOUGH LTD

TIMBER MATE® SCREWS & FASTENERS



The **Timbermate®** family of Screw & Fastener products offers a wide range of finishes and head styles.

LEADING BRAND | INNOVATION | VALUE FOR MONEY

All available from the experts - Harrison & Clough Ltd

Welcome to the TIMBERMATE® ...

...Screw & Fastener Product Guide

Affectionately known as The Good Screw Guide, this TIMBERMATE® publication from Harrison & Clough Ltd highlights the features & benefits of the high quality of screws available nationally.


Products in the TIMBERMATE® livery are manufactured to H&C's specified standards. They are not run-of-the-mill, basic products but good quality products designed for the professional user. When a product is purchased in the TIMBERMATE® "Green box" professionals know they are getting a good, no nonsense, product to get the job done.

The TIMBERMATE® brand is one of 3 'MATE' brands, with MASONMATE® and METALMATE®. This product range is for fastening fixtures primarily in Timber, but much of the range is multi-purpose to suit ever-changing building materials and can be used in Hard/Soft Woods, MDF, Chipboard, Dry Lining/Plasterboard and with plugs into Masonry.

the only choice for the true professional!


BOX & LABEL INFORMATION

- Strong & durable box construction.
- Easy to open – secure to close.



- Label folds underneath box to help seal box





CONTENTS

WOODSCREWS	Page
------------	------

Twin Thread	3
Single Thread	4
Electro Brassed	5
Black Japanned	5
Black Epocote	5
Round	6
Clutch Head	6
Brass	7-8

SCREWS

Collated Dry Wall Screws	10
Dry Wall Screws	11-12
Deck-Tite Outdoor Screws	13
Screw-Tite Premium Screws	14

TIMBER FASTENERS

Cup Square Hexagon	15
Coachscrews & Plugs	16
Collated Nails	17
Loose Nails	18

ANCILLARY

Caps & Covers	9
Dowels	12
Connectors	16



TWIN THREAD POZI DOUBLE COUNTERSUNK WOODSCREWS - Zinc Plated

Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1,000
0042T45018	1/2 x 4	200	22800	9.01
0042T45020	5/8 x 4	200	22800	9.68
0042T45022	3/4 x 4	200	22800	10.50
0042T45100	1 x 4	200	18000	12.01
0042T47020	5/8 x 5	200	22800	11.00
0042T49018	1/2 x 6	200	22800	10.10
0042T49020	5/8 x 6	200	22800	10.83
0042T49022	3/4 x 6	200	18000	11.55
0042T49100	1 x 6	200	10000	13.72
0042T49114	1.1/4 x 6	200	10000	15.87
0042T49118	1.1/2 x 6	200	5600	19.48
0042T49200	2 x 6	200	5600	25.98
0042T52022	3/4 x 7	200	18000	15.00
0042T52100	1 x 7	200	10000	15.87
0042T52114	1.1/4 x 7	200	5600	18.76
0042T52118	1.1/2 x 7	200	5600	21.51
0042T54018	1/2 x 8	200	18000	15.00
0042T54020	5/8 x 8	200	18000	15.76
0042T54022	3/4 x 8	200	10000	15.87
0042T54100	1 x 8	200	10000	18.76
0042T54114	1.1/4 x 8	200	5600	21.65
0042T54118	1.1/2 x 8	200	5600	24.53

Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1,000
0042T54122	1.3/4 x 8	200	5600	29.39
0042T54200	2 x 8	200	4200	32.47
0042T54214	2.1/4 x 8	200	4200	41.84
0042T54218	2.1/2 x 8	200	4200	46.18
0042T54300	3 x 8	200	4200	53.07
0042T56100	1 x 10	200	5600	25.25
0042T56114	1.1/4 x 10	200	5600	28.86
0042T56118	1.1/2 x 10	200	4200	33.92
0042T56122	1.3/4 x 10	200	4200	36.79
0042T56200	2 x 10	200	4200	43.29
0042T56218	2.1/2 x 10	100	2800	56.66
0042T56300	3 x 10	100	2800	68.54
0042T56318	3.1/2 x 10	100	2100	88.74
0042T56400	4 x 10	100	2100	108.81
0042T58118	1.1/2 x 12	200	4200	55.55
0042T58200	2 x 12	200	4200	60.60
0042T58218	2.1/2 x 12	100	2100	77.59
0042T58300	3 x 12	100	2100	90.89
0042T58318	3.1/2 x 12	100	2100	108.21
0042T58400	4 x 12	100	2100	126.25

Fully threaded to 1 1/4"
30 outers per pallet



Deep Cross Drive Recess.

Double Countersunk for deeper recess and added strength.

Through Hardened for ductility.

40° Twin Thread for speed of insertion and greater pull out resistance.

Zinc plated to 5 microns.

Sharp point for fast start.



The most popular screw in the UK. For general applications into softwood and various types of hardwood.

Hardness:
Core = Min. 270HV - Max. 420HV,
Surface = Min. 450HV - Max. 720HV

Made with C1022 Premium Steel.

SINGLE THREAD POZI DOUBLE COUNTERSUNK "CHIPBOARD" SCREWS - Zinc & Yellow

Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1000
0108T390012	3 x 12	1000	21000	15.21
0108T390012B	3 x 12	200	22800	21.58
0108T390016	3 x 16	1000	21000	16.12
0108T390016B	3 x 16	200	22800	22.87
0108T390020	3 x 20	1000	21000	17.73
0108T390020B	3 x 20	200	22800	25.16
0108T390025	3 x 25	1000	21000	18.69
0108T390025B	3 x 25	200	18000	26.51
0108T390030B	3 x 30	200	18000	36.51
0108T430012B	3.5 x 12	200	22800	23.24
0108T430016	3.5 x 16	500	10500	18.88
0108T430016B	3.5 x 16	200	22800	26.78
0108T430020	3.5 x 20	500	10500	19.54
0108T430020B	3.5 x 20	200	18000	27.72
0108T430025	3.5 x 25	500	10500	20.80
0108T430025B	3.5 x 25	200	10000	30.67
0108T430030	3.5 x 30	500	6000	23.32
0108T430030B	3.5 x 30	200	10000	33.08
0108T430040	3.5 x 40	500	6000	30.11
0108T430040B	3.5 x 40	200	5600	44.40
0108T430045	3.5 x 45	500	6000	40.94
0108T450015	4 x 15	200	22800	20.64
0108T450016	4 x 16	200	22800	20.67
0108T450020	4 x 20	200	18000	21.17
0108T450025	4 x 25	200	10000	23.33
0108T450030	4 x 30	200	10000	28.06
0108T450035	4 x 35	200	5600	30.44
0108T450040	4 x 40	200	5600	33.11
0108T450045	4 x 45	200	5600	37.92
0108T450050	4 x 50	200	4200	40.85
0108T450055	4 x 55	200	4200	56.86


Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1000
0108T450060	4 x 60	200	4200	55.28
0108T450070	4 x 70	200	4200	64.08
0108T460030	4.5 x 30	200	5600	34.70
0108T460035	4.5 x 35	200	5600	41.64
0108T460040	4.5 x 40	200	4200	43.23
0108T460045	4.5 x 45	200	4200	51.18
0108T460050	4.5 x 50	200	4200	53.15
0108T460060	4.5 x 60	200	4200	74.77
0108T460070	4.5 x 70	200	2400	91.60
0108T460080	4.5 x 80	100	2100	104.42
0108T470020	5 x 20	200	10000	46.01
0108T470030	5 x 30	200	5600	41.65
0108T470040	5 x 40	200	4200	48.76
0108T470045	5 x 45	200	4200	56.07
0108T470050	5 x 50	200	4200	56.08
0108T470055	5 x 55	100	2800	65.58
0108T470060	5 x 60	100	2800	64.36
0108T470070	5 x 70	100	2100	85.98
0108T470080	5 x 80	100	2100	93.46
0108T470090	5 x 90	100	2100	120.70
0108T470100	5 x 100	100	2100	146.33
0108T490030	6 x 30	200	4200	75.41
0108T490045	6 x 45	200	4200	100.54
0108T490050	6 x 50	200	2400	102.93
0108T490060	6 x 60	100	2100	111.93
0108T490070	6 x 70	100	2100	125.36
0108T490080	6 x 80	100	2100	137.46
0108T490090	6 x 90	100	2100	158.22
0108T490100	6 x 100	100	1200	195.28
0108T490120	6 x 120	100	1200	239.91

Fully threaded up to 50mm
30 outers per pallet

Deep Cross Drive Recess.



Timbermate® combined specifications result in a truly multi-purpose screw. Consistently achieving efficient results in chipboard, MDF, hardwood, plastic and thin metal sheet.



Double Countersunk for deeper recess and head strength.

Lubricated for smooth insertion.
Non toxic and consumer friendly clean and non greasing. Approved lubrication in contact with drinking water.

40° Single Thread for high pull-out retention.

Sharp point for easy penetration
Zinc and Yellow passivation to 5 microns CR6.




Hardness:
Core = Min. 270HV - Max. 420HV,
Surface = Min. 450HV - Max. 720HV

Made with C1022 Premium Steel.

Also available in Zinc & Clear.
(product group 0107)


TWIN THREAD POZI COUNTERSUNK WOODSCREWS - Electro Brassed



Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1,000
0049T45018	1/2 x 4	200	22,800	19.71
0049T45020	5/8 x 4	200	22,800	20.39
0049T45022	3/4 x 4	200	22,800	21.83
0049T45100	1 x 4	200	18,000	26.13
0049T49018	1/2 x 6	200	18,000	22.92
0049T49020	5/8 x 6	200	22,800	24.64
0049T49022	3/4 x 6	200	18,000	24.05
0049T49100	1 x 6	200	10,000	28.56
0049T49114	1.1/4 x 6	200	10,000	33.83
0049T52100	1 x 7	200	10,000	33.08
0049T52114	1.1/4 x 7	200	5,600	51.28
0049T54022	3/4 x 8	200	10,000	36.11
0049T54100	1 x 8	200	10,000	39.06
0049T54114	1.1/4 x 8	200	5,600	45.05
0049T54118	1.1/2 x 8	200	5,600	51.03
0049T54200	2 x 8	200	4,200	67.62
0049T56114	1.1/4 x 10	200	5,600	53.14
0049T56118	1.1/2 x 10	200	4,200	74.28
0049T56200	2 x 10	200	4,200	97.04


Fully threaded to 1 1/4"
30 outers per pallet

SINGLE THREAD SLOTTED ROUND WOODSCREWS - Black Japanned



Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1000
J0021T45018	1/2 x 4	200	22,800	32.97
J0021T49022	3/4 x 6	200	18,000	42.04
J0021T49100	1 x 6	200	10,000	50.69
J0021T54018	1/2 x 8	200	18,000	77.00
J0021T54022	3/4 x 8	200	10,000	66.44
J0021T54100	1 x 8S	200	10,000	75.75
J0021T54114	1.1/4 x 8	200	5,600	83.69
J0021T54118	1.1/2 x 8	200	5,600	97.34
J0021T54200	2 x 8	200	4,200	121.24
J0021T54218	2.1/2 x 8	200	4,200	169.04
J0021T56022	3/4 x 10	200	5,600	90.70
J0021T56100	1 x 10	200	5,600	99.69
J0021T56114	1.1/4 x 10	200	5,600	111.17
J0021T56118	1.1/2 x 10	200	4,200	126.42
J0021T56200	2 x 10	200	4,200	159.57
J0021T58118	1.1/2 x 12	200	4,200	187.16

POZI COUNTERSUNK CARCASS SCREWS - Black Epocote



Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1,000
0099T450032	4 x 32mm	1,000	9,000	26.00
0099T450045	4 x 45mm	1,000	6,000	32.50



TWIN THREAD POZI ROUND WOODSCREWS - Zinc Plated

Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1,000
0104T45016	3/8 x 4	200	22,800	17.24
0104T45018	1/2 x 4	200	22,800	18.17
0104T45020	5/8 x 4	200	22,800	21.27
0104T45022	3/4 x 4	200	22,800	21.27
0104T49018	1/2 x 6	200	22,800	20.57
0104T49020	5/8 x 6	200	22,800	21.29
0104T49022	3/4 x 6	200	18,000	24.11
0104T49114	1.1/4 x 6	200	10,000	31.51
0104T49118	1.1/2 x 6	200	5,600	40.25
0104T54018	1/2 x 8	200	18,000	29.55
0104T54020	5/8 x 8	200	18,000	29.86
0104T54022	3/4 x 8	200	10,000	31.51
0104T54100	1 x 8	200	10,000	36.71
0104T54114	1.1/4 x 8	200	5,600	42.58
0104T54118	1.1/2 x 8	200	5,600	48.10
0104T54122	1.3/4 x 8	200	5,600	59.79
0104T54200	2 x 8	200	4,200	65.52
0104T56020	5/8 x 10	200	10,000	46.37
0104T56022	3/4 x 10	200	5,600	48.10
0104T56100	1 x 10	200	5,600	49.15
0104T56114	1.1/4 x 10	200	5,600	56.34
0104T56118	1.1/2 x 10	200	4,200	66.24
0104T56122	1.3/4 x 10	200	4,200	81.25
0104T56200	2 x 10	200	4,200	84.03
0104T56218	2.1/2 x 10	200	4,200	111.12
0104T56300	3 x 10	100	2,800	138.53
0104T58118	1.1/2 x 12	200	4,200	108.91
0104T58200	2 x 12	200	4,200	118.32

30 outers per pallet

TWIN THREAD CLUTCH HEAD WOODSCREWS - Zinc Plated

Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1000
0117T49022	3/4 x 6	200	18,000	56.40
0117T54022	3/4 x 8	200	10,000	69.46
0117T54100	1 x 8	200	10,000	78.72
0117T54114	1.1/4 x 8	200	5,600	91.15
0117T54118	1.1/2 x 8	200	5,600	105.35
0117T56114	1.1/4 x 10	200	5,600	152.87
0117T56118	1.1/2 x 10	200	4,200	174.51
0117T58200	2 x 12	200	4,200	240.68



BRASS WOODSCREWS

**TIMBER
MATE®**




Slotted Recess




Round Head


Flat bearing surface



Slotted Recess




Raised countersunk head



Cross Recess



Countersunk head



Brass finish for aesthetically pleasing results.

SLOTTED ROUND WOODSCREWS - Brass

Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1,000
0025T34014	1/4 x 2	200	22,800	81.26
0025T34016	3/8 x 2	200	22,800	86.36
0025T45016	3/8 x 4	200	22,800	104.30
0025T45018	1/2 x 4	200	22,800	101.52
0025T45020	5/8 x 4	200	22,800	102.69
0025T45022	3/4 x 4	200	22,800	122.01
0025T49022	3/4 x 6	200	18,000	180.74
0025T49100	1 x 6	200	10,000	203.06
0025T49114	1.1/4 x 6	200	10,000	281.78
0025T54022	3/4 x 8	200	10,000	291.24
0025T54100	1 x 8	200	10,000	283.18
0025T54114	1.1/4 x 8	200	5,600	377.36
0025T54118	1.1/2 x 8	200	5,600	427.99
0025T54200	2 x 8	200	4,200	571.43
0025T54300	3 x 8	200	2,800	1396.56
0025T56100	1 x 10	200	5,600	497.84
0025T56118	1.1/2 x 10	200	4,200	634.05
0025T56200	2 x 10	200	2,800	756.74

SLOTTED RAISED WOODSCREWS - Brass

Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1,000
0026T45022	3/4 x 4	200	22,800	132.55
0026T45100	1 x 4	200	18,000	180.81
0026T49020	5/8 x 6	200	10,000	213.61
0026T49022	3/4 x 6	200	18,000	180.29
0026T49100	1 x 6	200	10,000	223.24
0026T49114	1.1/4 x 6	200	10,000	292.22
0026T49118	1.1/2 x 6	200	5,600	343.43
0026T54022	3/4 x 8	200	8,400	320.88
0026T54100	1 x 8	200	10,000	342.83
0026T54114	1.1/4 x 8	200	4,800	409.94
0026T54200	2 x 8	200	2,800	620.79

POZI COUNTERSUNK WOODSCREWS-Brass

Code	Size	Qty Per Box	Qty Per Outer	Price £ Per 1000
0027T45018	1/2 x 4	200	22,800	88.10
0027T49020	5/8 x 6	200	22,800	205.47
0027T49022	3/4 x 6	200	18,000	157.75
0027T49100	1 x 6	200	10,000	161.13
0027T49114	1.1/4 x 6	200	10,000	281.08
0027T49118	1.1/2 x 6	200	4,800	404.90
0027T54100	1 x 8	200	10,000	219.18
0027T54114	1.1/4 x 8	200	5,600	321.73
0027T54118	1.1/2 x 8	200	5,600	372.02
0027T54200	2 x 8	200	4,200	705.50
0027T56114	1.1/4 x 10	200	5,600	487.09
0027T56118	1.1/2 x 10	200	4,200	558.04
0027T56200	2 x 10	200	4,200	817.12
0027T56218	2.1/2 x 10	100	4,200	868.50
0027T58114	1.1/4 x 12	200	4,200	731.54

Timbermate® screws are made from high grade C2108 Brass alloy to BS1210 Standards.

30 outers per pallet

SLOTTED COUNTERSUNK WOODSCREWS - Brass

Code	Size	Qty Per Outer	Box Qty	Price £ Per 1000
0024T34014	1/4 x 2	22,800	200	80.29
0024T34016	3/8 x 2	22,800	200	85.28
0024T39018	1/2 x 3	22,800	200	103.28
0024T45016	3/8 x 4	22,800	200	103.06
0024T45018	1/2 x 4	22,800	200	81.98
0024T45020	5/8 x 4	22,800	200	89.56
0024T45022	3/4 x 4	18,000	200	103.34
0024T45100	1 x 4	10,000	200	150.88
0024T47020	5/8 x 5	22,800	200	140.57
0024T47022	3/4 x 5	18,000	200	164.33
0024T49018	1/2 x 6	22,800	200	133.21
0024T49020	5/8 x 6	22,800	200	334.67
0024T49022	3/4 x 6	18,000	200	128.86
0024T49100	1 x 6	10,000	200	190.17
0024T49114	1.1/4 x 6	10,000	200	255.61
0024T49118	1.1/2 x 6	5,600	200	297.95
0024T52100	1 x 7	10,000	200	252.64
0024T52114	1.1/4 x 7	5,600	200	350.15
0024T52118	1.1/2 x 7	4,800	200	407.45
0024T54022	3/4 x 8	10,000	200	278.39
0024T54100	1 x 8	10,000	200	259.72
0024T54114	1.1/4 x 8	5,600	200	303.12
0024T54118	1.1/2 x 8	5,600	200	358.24
0024T54200	2 x 8	4,200	200	518.11
0024T54218	2.1/2 x 8	2,800	100	871.42
0024T54300	3 x 8	1,400	100	1084.64
0024T56022	3/4 x 10	5,600	200	448.47
0024T56100	1 x 10	5,600	200	430.59
0024T56114	1.1/4 x 10	5,600	200	438.87
0024T56118	1.1/2 x 10	4,200	200	502.25
0024T56122	1.3/4 x 10	2,800	200	735.34
0024T56200	2 x 10	4,200	200	686.19
0024T56218	2.1/2 x 10	2,800	100	897.02
0024T56300	3 x 10	1,400	100	1108.55
0024T56400	4 x 10	1,400	100	2574.42
0024T58114	1.1/4 x 12	4,200	200	644.61
0024T58118	1.1/2 x 12	4,200	200	764.00
0024T58200	2 x 12	4,200	200	924.36
0024T58218	2.1/2 x 12	2,100	100	1065.14
0024T58300	3 x 12	2,100	100	1368.73
0024T58318	3.1/2 x 12	2,100	100	2217.75
0024T58400	4 x 12	2,100	100	1857.10
0024T60118	1.1/2 x 14	2,100	100	1902.39
0024T60200	2 x 14S	1,400	100	2060.98


Classic slotted recess. —



Countersunk screw for snug-fit and neat finish.

High grade C2108 Brass for high corrosion resistance and strong tensile strength.

Single thread and sharp point for ease and speed of insertion.



Timbermate® screws are made from high grade C2108 Brass alloy to BS1210 Standards.

Pilot hole recommended for hardwoods to avoid wood split.


Use Brass in sanitary areas to utilise the materials non-corrosive attributes.

Use Brass alloy with other Brass products, such as hinges. Two dissimilar metals can cause electro chemical activity leading to corrosion.



BRASS MIRROR SCREW - Chrome Plated Top

Code	Size	Description	Box Qty	Price £ Per 1000
0137T54022	3/4 x 8S	Brass Mirror Screw Chrome Plated Top	200	1,165.30
0137T54100	1 x 8S	Brass Mirror Screw Chrome Plated Top	200	1,238.37
0137T54114	1.1/4 x 8S	Brass Mirror Screw Chrome Plated Top	200	1,299.71
0137T54118	1.1/2 x 8S	Brass Mirror Screw Chrome Plated Top	200	1,368.86
0137T54200	2 x 8S	Brass Mirror Screw Chrome Plated Top	200	1,586.79
0137T56100	1 x 10S	Brass Mirror Screw Chrome Plated Top	200	1,621.00
0137T56114	1.1/4 x 10S	Brass Mirror Screw Chrome Plated Top	200	1,763.44
0137T56118	1.1/2 x 10S	Brass Mirror Screw Chrome Plated Top	200	1,898.77
0137T56200	2 x 10S	Brass Mirror Screw Chrome Plated Top	200	2,156.60
0137T56218	2.1/2 x 10S	Brass Mirror Screw Chrome Plated Top	200	3,797.55



WOODSCREWS CAPS & COVERS

**TIMBER
MATE®**



SURFACE SCREW CUP - Solid Brass

Code	Size	Description	Qty Per Box	Qty Per Outer	Price £ Per 1000
0100T45	4G	Surface Screw Cup	200	-	64.56
0100T49	6G	Surface Screw Cup	200	-	93.47
0100T54	8G	Surface Screw Cup	200	-	92.72
0100T56	10G	Surface Screw Cup	200	-	114.64
0100T58	12G	Surface Screw Cup	100	-	165.96
0100T60	14G	Surface Screw Cup	100	-	210.87



SURFACE SCREW CUP - Brass Nickel Plated

Code	Size	Description	Qty Per Box	Qty Per Outer	Price £ Per 1,000
NP0100T49	6G	Surface Screw Cup	200	-	105.14
NP0100T54	8G	Surface Screw Cup	200	-	99.87
NP0100T56	10G	Surface Screw Cup	200	-	139.68
NP0100T58	12G	Surface Screw Cup	200	-	175.90
NP0100T60	14G	Surface Screw Cup	100	-	230.83




SURFACE SCREW CUP - Stainless Steel

Code	Size	Description	Qty Per Box	Qty Per Outer	Price £ Per 1000
0101T49	6S	Surface Screw Cup	200	-	116.32
0101T54	8S	Surface Screw Cup	200	-	122.55
0101T56	10S	Surface Screw Cup	200	-	154.43
0101T58	12S	Surface Screw Cup	100	-	200.45



TURNED PATTERN SCREW CUP - Solid Brass

Code	Size	Description	Qty Per Box	Qty Per Outer	Price £ Per 1,000
0087T49	6G	Turned Pattern Screw Cup	200	-	416.99
0087T54	8G	Turned Pattern Screw Cup	200	-	582.97
0087T56	10G	Turned Pattern Screw Cup	200	-	738.23
0087T58	12G	Turned Pattern Screw Cup	100	-	917.08
0087T60	14G	Turned Pattern Screw Cup	200	-	1077.91



POZI SCREW COVER CAP

Code	Size	Colour	Description	Qty Per Box	Price £ Per 1000
0118TNO2BLACK	6 - 10G	Black	Pozi Screw Cover Cap	1,000	56.91
0118TNO2MAG	6 - 10G	Magnolia	Pozi Screw Cover Cap	1,000	56.91
0118TNO2MAH	6 - 10G	Mahogany	Pozi Screw Cover Cap	1,000	56.91
0118TNO2TEAK	6 - 10G	Teak	Pozi Screw Cover Cap	1,000	56.91
0118TNO2WHITE	6 - 10G	White	Pozi Screw Cover Cap	1,000	54.74
0118TNO3WHITE	12 - 14G	White	Pozi Screw Cover Cap	1,000	61.81



SCREW COVER CAP c/w washer

Code	Size	Colour	Description	Qty Per Box	Price £ Per 1,000
0116TBLACK	6 - 8G	Black	Screw Cover Cap	100	143.66
0116TSILVER	6 - 8G	Silver	Screw Cover Cap	100	505.75
0116TTEAK	6 - 8G	Teak	Screw Cover Cap	100	149.35
0116TWHITE	6 - 8G	White	Screw Cover Cap	100	147.66

COLLATED DRY WALL SCREWS - Coarse Grey Phosphate

Product Code	Size (mm)	Thread	Head Drive	Point	Material / Finish	Box Qty	Outer Qty	Weight per 1000	List Price Per 1000
0004T3925COL	25 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	10000	1.50	17.71
0004T3932COL	32 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	10000	1.86	18.60
0004T3935COL	35 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	10000	2.12	19.18
0004T3938COL	38 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	10000	2.15	20.45
0004T3942COL	42 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	10000	2.35	20.99
0004T3945COL	45 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	10000	2.51	21.97
0004T3950COL	50 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	6000	2.90	23.67
0004T3955COL	55 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	6000	3.25	25.87
0004T3965COL	65 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	6000	3.99	31.73
0004T3975COL	75 x 3.9	Coarse	Bugle	Sharp	Grey Phosphate	1000	6000	4.73	34.57

Coarse Thread, ideal for fixing dry wall plasterboard to wood.

Sharp point for easy penetration of plasterboard or thermal laminate and wide 'coarse' thread pitch for quick insertion and greater holding in timber.

COLLATED DRY WALL SCREWS - Fine Grey Phosphate

Product Code	Size (mm)	Thread	Head Drive	Point	Material / Finish	Box Qty	Outer Qty	Weight per 1000	List Price Per 1000
0004T3525COL	25 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	10000	1.38	16.94
0004T3532COL	32 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	10000	1.60	17.78
0004T3535COL	35 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	10000	1.75	18.33
0004T3538COL	38 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	10000	1.84	19.55
0004T3542COL	42 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	10000	1.94	20.07
0004T3545COL	45 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	10000	2.33	20.99
0004T3550COL	50 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	6000	2.45	22.63
0004T3555COL	55 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	6000	2.86	24.73
0004T3565COL	65 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	6000	3.39	31.73
0004T3575COL	75 x 3.5	Fine	Bugle	Sharp	Grey Phosphate	1000	6000	3.92	34.57

COLLATED DRY WALL SCREWS - Fine Zinc Plated

Product Code	Size (mm)	Thread	Head Drive	Point	Material / Finish	Box Qty	Outer Qty	Weight per 1000	List Price Per 1000
Z0004T3525COL	25 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	10000	1.38	17.26
Z0004T3532COL	32 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	10000	1.60	18.10
Z0004T3535COL	35 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	10000	1.75	18.71
Z0004T3538COL	38 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	10000	1.84	19.88
Z0004T3542COL	42 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	10000	1.94	20.81
Z0004T3545COL	45 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	10000	2.33	21.37
Z0004T3550COL	50 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	6000	2.45	22.67
Z0004T3555COL	55 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	6000	2.86	24.82
Z0004T3565COL	65 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	6000	3.39	32.60
Z0004T3575COL	75 x 3.5	Fine	Bugle	Sharp	Zinc Plated	1000	6000	3.92	34.57

Fine Thread, suitable for fixing through plasterboard and thermal laminate into light steel and wood.

Sharp piercing point and narrow thread pitch aids rapid drilling through light steel or timber.

COLLATED DRY WALL SCREWS - Fine Zinc Plated

Product Code	Size (mm)	Thread	Head Drive	Point	Material / Finish	Box Qty	Outer Qty	Weight per 1000	List Price Per 1000
Z0003T3525COL	25 x 3.5	Fine	Bugle	Self Drilling	Zinc Plated	1000	10000	1.45	21.57
Z0003T3535COL	35 x 3.5	Fine	Bugle	Self Drilling	Zinc Plated	1000	10000	1.95	24.94
Z0003T3545COL	45 x 3.5	Fine	Bugle	Self Drilling	Zinc Plated	1000	10000	2.40	29.67
Z0003T3550COL	50 x 3.5	Fine	Bugle	Self Drilling	Zinc Plated	1000	6000	2.70	29.67

Self Drilling 'jack-point' screws, ideal for securing plasterboard to metal.

Light steel partitions/studs up to 2.5mm thick.

TIMBER MATE® PLUS

COLLATED DRY WALL SCREWS

3.5 x 25mm

DRILL POINT DRY WALL SCREWS

FINE THREAD, PHILLIPS BUGLE HEAD

Qty: 1000

Code: Z0003T3525COL

3.5 x 25mm

Code: Z0003T3525COL

REF: Q002 123456

Dry Wall / Light Steel to 2.5mm

Needle point dry wall screws, sharp for quick and easy penetration, self drilling point screws, for ease of penetration.

Bugle headed, ideal for flush or slightly recessed finish in plasterboard and no paper tearing, common 'Phillips' type drive with deep recess giving more purchase to the driver.

Screws on plastic strips of 50 screws, designed for the popular manufacturers' collated drivers/guns, strips are non-jamming and give firm engagement in machine.

Screws made from premium quality steel with regular quality assessments to ensure consistency throughout each batch.

Screw Hardness:
Core = Min. 380HV - Max. 450HV,
Case / Surface = Min. 680HV - Max. 800HV



Boxes of 1000 screws – labelled on end and side for easy clear selection or storage.

DRY WALL SCREWS

**TIMBER
MATE®**



DRY WALL SCREWS - Phillips Recess - Fine

Black Phosphated Code	Zinc Plated Code	Size	Gauge	Head Style	Box Qty	Price £ Per 1,000
0004T67	Z0004T67	25	3.5	Bugle	1000	7.91
0004T692	Z0004T692	32	3.5	Bugle	1000	9.18
0004T707	Z0004T707	35	3.5	Bugle	1000	11.11
0004T718	Z0004T718	38	3.5	Bugle	1000	10.90
0004T73	Z0004T73	42	3.5	Bugle	1000	12.26
0004T74	Z0004T74	45	3.5	Bugle	1000	15.38
0004T756	Z0004T756	50	3.5	Bugle	1000	15.59
0004T768	Z0004T768	55	3.5	Bugle	500	19.65
0004T772	Z0004T772	60	3.5	Bugle	500	21.79
0004T775	Z0004T775	65	4.2	Bugle	500	25.63
0004T785	Z0004T785	75	4.2	Bugle	500	31.40
0004T795	Z0004T795	90	4.2	Bugle	500	58.85
0004T805	Z0004T805	100	4.2	Bugle	500	68.13
0004T59WF	Z0004T59WF	13	4.2	Wafer	1000	11.27



DRY WALL SCREWS - Phillips Recess - Coarse

Black Phosphated Code	Zinc Plated Code	Size	Gauge	Head Style	Box Qty	Price £ Per 1,000
0005T67	-	25	3.5	Bugle	1000	7.83
0005T692	-	32	3.5	Bugle	1000	9.09
0005T707	-	35	3.5	Bugle	1000	11.00
0005T718	-	38	3.5	Bugle	1000	10.79
0005T73	-	42	3.5	Bugle	1000	12.14
0005T74	-	45	3.5	Bugle	1000	15.23
0005T756	-	50	3.5	Bugle	1000	15.44
0005T768	-	55	3.5	Bugle	500	19.46
0005T772	-	60	3.5	Bugle	500	21.57
0005T775	-	65	4.2	Bugle	500	25.38
0005T785	-	75	4.2	Bugle	500	31.09
0005T795	-	90	4.2	Bugle	500	58.27
0005T805	-	100	4.2	Bugle	500	67.46



DRILL POINT DRY WALL SCREWS - Phillips Recess - Fine

Black Phosphated Code	Zinc Plated Code	Size	Gauge	Head Style	Box Qty	Price £ Per 1,000
-	Z0003T59PAN	13	4.2	Pan	1000	11.27
-	Z0003T59WF	13	4.2	Wafer	1000	11.27
-	Z0003T67	25	3.5	Bugle	1000	8.82
-	Z0003T692	32	3.5	Bugle	1000	9.99
-	Z0003T718	38	3.5	Bugle	1000	10.85
-	Z0003T73	42	3.5	Bugle	1000	11.75
-	Z0003T756	50	3.5	Bugle	1000	13.30
-	Z0003T768	55	3.5	Bugle	500	17.90
-	Z0003T775	65	4.2	Bugle	500	25.16
-	Z0003T785	75	4.2	Bugle	500	26.44

Screw Hardness:
Core = Min. 380HV - Max. 450HV,
Case / Surface = Min. 680HV - Max. 800HV

Zinc and Clear CR6

Made with C1022 Premium Steel.



Each box, complete with
1/4" Hex x 25mm No.2pt
Phillips screw driver bit.

Increased salt spray tested to 48
hours for improved reliability in
modern dry lining.

Needle Point Dry wall
screws are sharp for
easy application.



DRY WALL SCREWS - Phillips Recess - Fine (Small Box)

Black Phosphated Code	Zinc Plated Code	Size	Gauge	Head Style	Box Qty	Price £ Per 1,000 Black	Price £ Per 1,000 Zinc
0004T67SB	Z0004T67SB	25	3.5	Bugle	200	25.07	25.07
0004T692SB	Z0004T692SB	32	3.5	Bugle	200	29.36	29.36
0004T718SB	Z0004T718SB	38	3.5	Bugle	200	33.09	31.51
0004T73SB	Z0004T73SB	42	3.5	Bugle	200	34.66	34.23
0004T74SB	Z0004T74SB	45	3.5	Bugle	200	35.37	32.23
0004T756SB	Z0004T756SB	50	3.5	Bugle	200	38.67	39.67
0004T768SB	Z0004T768SB	55	3.5	Bugle	200	43.68	45.26
0004T775SB	Z0004T775SB	65	4.2	Bugle	100	71.47	73.18
0004T785SB	Z0004T785SB	75	4.2	Bugle	100	80.06	79.20



DRY WALL NAILS

Code	Size	Description	Box Qty	List Price per 25Kg
1815T380030	30 x 2.65	Dry Wall 'Plasterboard' Nails - Zinc & Yellow	25Kg	539.08
1815T380040	40 x 2.65	Dry Wall 'Plasterboard' Nails - Zinc & Yellow	25Kg	539.08

Also available packed in smaller quantities



Each box, complete with 1/4" Hex x 25mm No.2pt Phillips screw driver bit.

Increased salt spray tested to 48 hours for improved reliability in modern dry lining.


Needle Point Dry wall screws are sharp for easy application.

DOWELS



WOOD TO WOOD DOWELS

Code	Size	Description	Qty Per Box	Price £ Per 1000
0135T54100	1 x 8	Wood to Wood Dowels	200	267.47
0135T54118	1.1/2 x 8	Wood to Wood Dowels	200	316.21
0135T56200	2 x 10	Wood to Wood Dowels	100	444.95
0135T58200	2 x 12	Wood to Wood Dowels	100	838.43



ALLOY DOWEL

Code	Size	Description	Qty Per Box	Price £ Per 1000
0683T022	3/4" - 19mm	Brudaw Alloy Dowel	500	92.16
0683T100	1" - 25mm	Brudaw Alloy Dowel	500	107.45
0683T109	1.1/8" - 28mm	Brudaw Alloy Dowel	500	114.06
0683T115	1.5/16" - 33mm	Brudaw Alloy Dowel	500	106.44
0683T118	1.1/2" - 38mm	Brudaw Alloy Dowel	500	115.26
0683T120	1.5/8" - 41mm	Brudaw Alloy Dowel	500	169.51
0683T122	1.3/4" - 44mm	Brudaw Alloy Dowel	500	180.42
0683T200	2" - 50mm	Brudaw Alloy Dowel	500	186.69
0683T216	2.3/8" - 60mm	Brudaw Alloy Dowel	500	235.98
0683T222	2.3/4" - 70mm	Brudaw Alloy Dowel	250	361.01
0683T300	3" - 76mm	Brudaw Alloy Dowel	250	396.68

WOOD/METAL DOWELS

Code	Size	Description	Qty Per Box	Price £ Per 1000
Z0693W0150200	2 x 5/6	BSW Wood/Metal Dowels	200	562.30
Z0693W0150218	2.1/2 x 5/16	BSW Wood/Metal Dowels	200	649.23
Z0693W0150300	3 x 5/16	BSW Wood/Metal Dowels	100	756.68
Z0693W0150318	3.1/2 x 5/16	BSW Wood/Metal Dowels	100	1,426.33



DECKING OUTDOOR SCREWS




DECK-TITE DECKING OUTDOOR SCREW - Trilobular Thread Net-Coat Green

Code	Size	Size (mm)	Head Drive	Description	Finish	Box Qty	Price £ Per 1,000
0127T54100	8 x 1	4.5 x 25	Pozi Csk	Deck-Tite Decking Screw	Net-Coat Green	200	34.97
0127T54118	8 x 1.1/2	4.5 x 40	Pozi Csk	Deck-Tite Decking Screw	Net-Coat Green	200	48.20
0127T54200	8 x 2	4.5 x 50	Pozi Csk	Deck-Tite Decking Screw	Net-Coat Green	200	61.76
0127T54214	8 x 2.14	4.5 x 57	Pozi Csk	Deck-Tite Decking Screw	Net-Coat Green	200	71.09
0127T54218	8 x 2.1/2	4.5 x 63	Pozi Csk	Deck-Tite Decking Screw	Net-Coat Green	200	69.88
0127T54300	8 x 3	4.5 x 75	Pozi Csk	Deck-Tite Decking Screw	Net-Coat Green	200	97.19



DECK-TITE PLUS OUTDOOR SCREW PLUS NET COAT. Stainless Steel A4 316 with driver in box

Code	Size	Size (mm)	Head Drive	Description	Finish	Box Qty	Price £ Per 1,000
0127P54200	8 x 2	4.5 x 50	Square	Deck-Tite Plus Decking Screw	Stainless Steel	200	254.16
0127P54214	8 x 2.1/4	4.5 x 57	Square	Deck-Tite Plus Decking Screw	Stainless Steel	200	287.45
0127P54218	8 x 2.1/8	4.5 x 63	Square	Deck-Tite Plus Decking Screw	Stainless Steel	200	323.25
0127P54300	8 x 3	4.5 x 75	Square	Deck-Tite Plus Decking Screw	Stainless Steel	200	378.68



DECK-TITE COMPOSITE SCREW with driver in box

Code	Size	Size (mm)	Head Drive	Description	Finish	Box Qty	Price £ Per 1,000
0127C54200	8 x 2	4.5 x 50	Square	Deck-Tite Decking Screw	Net Coat Brown	200	99.87
0127C54214	8 x 2.1/4	4.5 x 57	Square	Deck-Tite Decking Screw	Net Coat Brown	200	104.90
0127C54218	8 x 2.1/2	4.5 x 63	Square	Deck-Tite Decking Screw	Net Coat Brown	200	111.09
0127C54300	8 x 3	4.5 x 75	Square	Deck-Tite Decking Screw	Net Coat Brown	200	127.07

Reverse thread eliminates swarf build up.

TIMBER-TITE SCREWS



With driver in box

Code	Diameter (mm)	Length (mm)	Head Drive	Product	Finish	Box Qty	Price £ Per 100
0128T5040080	6.5	80	Star Drive	Timber-Tite Newall Post/Joist Screw	Net-Coat Green	20	45.50
0128T5040100	6.5	100	Star Drive	Timber-Tite Newall Post/Joist Screw	Net-Coat Green	20	60.40
0128T5040145	6.5	145	Star Drive	Timber-Tite Newall Post/Joist Screw	Net-Coat Green	20	68.95
0128T5040200	6.5	200	Star Drive	Timber-Tite Newall Post/Joist Screw	Net-Coat Green	10	132.70
0128T5040250	6.5	250	Star Drive	Timber-Tite Newall Post/Joist Screw	Net-Coat Green	10	193.10

Universal, heavy duty timber fixing that replaces cup square bolts and coachscrews for an easy, quick, secure neater fix.

TONGUE & GROOVE SCREWS




With driver in box

Code	Diameter (mm)	Length (mm)	Head Drive	Product	Finish	Box Qty	Price £ Per 1,000
0131T430045	3.5	45	Star Drive	Tongue & Groove	Net-Coat Yellow	200	35.00



Adjust-Tite®

Also Available



Lost-Tite®

Also Available

CROSS RECESS COUNTERSUNK MULTI PURPOSE SCREW - Zinc Yellow Passivated & Waxed

Code	Diameter (mm)	Length (mm)	Box Qty	Price £ Per 1,000
0129T390012	3.00	12	200	18.82
0129T390016	3.00	16	200	21.05
0129T390020	3.00	20	200	21.45
0129T390025	3.00	25	200	21.53
0129T430016	3.50	16	200	20.71
0129T430020	3.50	20	200	21.53
0129T430025	3.50	25	200	21.71
0129T430030	3.50	30	200	27.34
0129T430040	3.50	40	200	28.69
0129T430050	3.50	50	200	38.10
0129T450016	4.00	16	200	22.72
0129T450020	4.00	20	200	23.11
0129T450025	4.00	25	200	24.29
0129T450030	4.00	30	200	27.59
0129T450035	4.00	35	200	33.39
0129T450040	4.00	40	200	35.51
0129T450045	4.00	45	200	40.28
0129T450050	4.00	50	200	42.23
0129T450060	4.00	60	100	52.70
0129T450070	4.00	70	100	61.33
0129T460030	4.50	30	200	42.51
0129T460040	4.50	40	200	51.56
0129T460050	4.50	50	200	62.15

Code	Diameter (mm)	Length (mm)	Box Qty	Price £ Per 1,000
0129T460060	4.50	60	200	72.35
0129T460070	4.50	70	100	84.29
0129T460080	4.50	80	100	97.29
0129T470030	5.00	30	200	61.38
0129T470040	5.00	40	200	62.90
0129T470050	5.00	50	200	60.49
0129T470060	5.00	60	100	72.35
0129T470070	5.00	70	100	84.54
0129T470080	5.00	80	100	102.25
0129T470090	5.00	90	100	145.42
0129T470100	5.00	100	100	152.98
0129T490040	6.00	40	100	83.74
0129T490050	6.00	50	100	100.87
0129T490060	6.00	60	100	117.81
0129T490070	6.00	70	100	136.19
0129T490080	6.00	80	100	155.80
0129T490090	6.00	90	50	197.44
0129T490100	6.00	100	50	193.79
0129T490120	6.00	120	50	396.41
0129T490130	6.00	130	50	382.02
0129T490140	6.00	140	50	483.18
0129T490150	6.00	150	50	399.10

ELIMINATES THE NEED TO CHOOSE BETWEEN SINGLE OR TWIN THREAD

Cross Recess
Industry standard - no searching for a driver bit. Swift & easy bit location.

Part Thread
Eliminates 'jacking' where a full threaded screw tends to pull apart the jointed material.

TS Thread (Exaggerated)
Utilises benefits of both twin and single thread on the same screw.

Single Coarse Thread
Drives in without reaming a hole in the material, enabling a swift efficient fix with high pullout retention.

Twin Thread
Penetrates the dense surface and balances the screw with two points of pickup that start right at the tip of the screw.

Ribs
Cutting edge ribs ream and self - countersink the screw.

Collar
Gives strength to the most vulnerable point of the screw.

Tri-Lock™ Threadform
Three flats on thread means less surface contact between screw and material when driven in which means less battery wear, easier to insert and the screw will not work loose over time as the material flexes under use.

CPT™ Hardened
Permeated case with through hardening allows the perfect balance between core ductility and surface toughness - with strength of a high tensile bolt the screw will not snap.


Premium packaging for easy product selection.



SCREWS DESIGNED BY THE SPECIALIST FOR THE SPECIALIST


CUP SQUARE HEX BOLTS

**TIMBER
MATE®**




Also known as carriage or coachbolts these fully threaded cup square hex bolts conform to DIN555 standards and come complete with nuts.

(fully threaded to 150mm, longer bolts part threaded with 150mm).



Full size range available M2 - M30
Available in imperial sizes.
Available in Stainless Steel,
Mild Steel and Brass.



Full size range available M2 - M30
Available in Stainless Steel,
Mild Steel and Brass.

CUP SQUARE HEX BOLTS with nuts - Zinc

Code	Size	Box Qty	Price £ Per 100
Z0306M490020	M6 x 20	200	4.70
Z0306M490025	M6 x 25	200	4.99
Z0306M490030	M6 x 30	200	5.07
Z0306M490035	M6 x 35	200	5.38
Z0306M490040	M6 x 40	200	5.47
Z0306M490045	M6 x 45	200	6.07
Z0306M490050	M6 x 50	200	6.19
Z0306M490055	M6 x 55	100	6.79
Z0306M490060	M6 x 60	100	7.15
Z0306M490065	M6 x 65	100	7.54
Z0306M490070	M6 x 70	100	8.25
Z0306M490075	M6 x 75	100	8.63
Z0306M490080	M6 x 80	100	10.22
Z0306M490090	M6 x 90	100	10.77
Z0306M490100	M6 x 100	100	11.94
Z0306M490110	M6 x 110	100	16.74
Z0306M490130	M6 x 130	100	18.91
Z0306M490150	M6 x 150	100	21.67
Z0306M540020	M8 x 20	200	8.11
Z0306M540025	M8 x 25	200	8.32
Z0306M540030	M8 x 30	200	9.04
Z0306M540040	M8 x 40	200	10.23
Z0306M540050	M8 x 50	100	12.05
Z0306M540055	M8 x 55	100	12.79
Z0306M540060	M8 x 60	100	12.86
Z0306M540065	M8 x 65	100	13.43
Z0306M540070	M8 x 70	100	13.78
Z0306M540075	M8 x 75	100	14.39
Z0306M540080	M8 x 80	100	15.05
Z0306M540090	M8 x 90	100	16.26
Z0306M540100	M8 x 100	100	17.56
Z0306M540110	M8 x 110	50	18.87
Z0306M540120	M8 x 120	50	22.56
Z0306M540130	M8 x 130	50	22.99
Z0306M540150	M8 x 150	50	25.44
Z0306M540160	M8 x 160	50	31.23
Z0306M540180	M8 x 180	25	34.64
Z0306M540200	M8 x 200	25	41.63
Z0306M560025	M10 x 25	100	16.80
Z0306M560030	M10 x 30	100	16.42
Z0306M560035	M10 x 35	100	17.51
Z0306M560040	M10 x 40	100	17.17
Z0306M560045	M10 x 45	100	18.87
Z0306M560050	M10 x 50	100	19.12
Z0306M560055	M10 x 55	100	21.11
Z0306M560060	M10 x 60	100	22.76
Z0306M560065	M10 x 65	100	22.51
Z0306M560070	M10 x 70	100	23.21
Z0306M560075	M10 x 75	50	23.97
Z0306M560080	M10 x 80	50	24.82

Code	Size	Box Qty	Price £ Per 100
Z0306M560090	M10 x 90	50	27.28
Z0306M560100	M10 x 100	50	28.92
Z0306M560110	M10 x 110	50	31.42
Z0306M560120	M10 x 120	50	32.42
Z0306M560130	M10 x 130	25	35.29
Z0306M560140	M10 x 140	25	37.07
Z0306M560150	M10 x 150	25	38.00
Z0306M560160	M10 x 160	25	43.74
Z0306M560180	M10 x 180	25	48.06
Z0306M560200	M10 x 200	25	52.36
Z0306M560220	M10 x 220	25	56.70
Z0306M560240	M10 x 240	25	67.55
Z0306M560260	M10 x 260	25	71.35
Z0306M560280	M10 x 280	25	81.95
Z0306M580040	M12 x 40	50	28.32
Z0306M580050	M12 x 50	50	30.98
Z0306M580065	M12 x 65	50	37.58
Z0306M580075	M12 x 75	50	39.23
Z0306M580080	M12 x 80	50	40.14
Z0306M580090	M12 x 90	50	41.97
Z0306M580100	M12 x 100	50	44.76
Z0306M580110	M12 x 110	25	46.74
Z0306M580120	M12 x 120	25	50.34
Z0306M580130	M12 x 130	25	53.50
Z0306M580150	M12 x 150	20	62.64
Z0306M580160	M12 x 160	25	69.15
Z0306M580180	M12 x 180	25	72.91
Z0306M580200	M12 x 200	25	79.03
Z0306M580220	M12 x 220	25	85.16
Z0306M580240	M12 x 240	25	91.28
Z0306M580260	M12 x 260	20	110.20
Z0306M580280	M12 x 280	10	113.69
Z0306M580300	M12 x 300	10	120.41

COLD FORM FULL NUTS - Zinc

Code	Size	Box Qty	Price £ Per 1000
Z0322M49	M6	500	13.68
Z0322M54	M8	200	30.06
Z0322M56	M10	200	58.42
Z0322M58	M12	100	91.42
Z0322M62	M16	100	159.32
Z0322M64	M20	50	306.96

FORM A BRIGHT PLAIN WASHERS - Zinc

Code	Size	Box Qty	Price £ Per 1000
Z0412T49	M6	1000	23.16
Z0412T54	M8	500	37.52
Z0412T56	M10	500	65.36
Z0412T58	M12	200	112.21
Z0412T62	M16	100	199.29
Z0412T64	M20	100	294.44

Nuts & washers available in bulk cartons.



HEXAGON HEAD COACHSCREW - Zinc

Code	Size (mm)	Box Qty	Price £ Per 100
Z0133T490025	6 x 25	200	5.57
Z0133T490030	6 x 30	200	6.80
Z0133T490035	6 x 35	200	7.74
Z0133T490040	6 x 40	200	7.38
Z0133T490045	6 x 45	200	9.18
Z0133T490050	6 x 50	200	8.41
Z0133T490055	6 x 55	200	11.44
Z0133T490060	6 x 60	200	11.44
Z0133T490065	6 x 65	200	12.19
Z0133T490070	6 x 70	100	12.19
Z0133T490075	6 x 75	100	16.01
Z0133T490080	6 x 80	100	15.50
Z0133T490090	6 x 90	100	16.10
Z0133T490100	6 x 100	100	24.48
Z0133T490120	6 x 120	50	33.24
Z0133T540030	8 x 30	200	12.64
Z0133T540040	8 x 40	200	13.10
Z0133T540050	8 x 50	200	15.44
Z0133T540060	8 x 60	100	17.65
Z0133T540065	8 x 65	100	19.85
Z0133T540070	8 x 70	100	20.54
Z0133T540075	8 x 75	100	23.71
Z0133T540080	8 x 80	100	23.71
Z0133T540090	8 x 90	100	28.59
Z0133T540100	8 x 100	100	28.26
Z0133T540120	8 x 120	50	40.92
Z0133T540130	8 x 130	50	48.08
Z0133T540150	8 x 150	50	53.98
Z0133T560030	10 x 30	100	25.57

Code	Size (mm)	Box Qty	Price £ Per 100
Z0133T560040	10 x 40	100	25.92
Z0133T560050	10 x 50	100	28.95
Z0133T560060	10 x 60	100	33.64
Z0133T560065	10 x 65	100	44.39
Z0133T560070	10 x 70	100	40.67
Z0133T560075	10 x 75	50	41.44
Z0133T560080	10 x 80	50	41.44
Z0133T560090	10 x 90	50	49.36
Z0133T560100	10 x 100	50	48.80
Z0133T560120	10 x 120	50	61.21
Z0133T560130	10 x 130	50	64.24
Z0133T560150	10 x 150	50	93.05
Z0133T560160	10 x 160	50	103.83
Z0133T560180	10 x 180	25	111.17
Z0133T560200	10 x 200	25	117.49
Z0133T580050	12 x 50	50	46.95
Z0133T580060	12 x 60	50	53.27
Z0133T580065	12 x 65	50	58.98
Z0133T580070	12 x 70	50	58.98
Z0133T580075	12 x 75	50	64.85
Z0133T580080	12 x 80	50	67.42
Z0133T580090	12 x 90	50	69.87
Z0133T580100	12 x 100	50	69.48
Z0133T580120	12 x 120	25	102.33
Z0133T580130	12 x 130	25	107.67
Z0133T580140	12 x 140	25	113.91
Z0133T580150	12 x 150	25	119.13
Z0133T580160	12 x 160	25	134.23
Z0133T580180	12 x 180	25	141.71



These multi-purpose hexagon screws are zinc plated to help prevent corrosion.

Conforming to DIN571 standards these Coachscrews are often used with Nylon Plugs.

NYLON WALL PLUGS - Suitable for solid base

Code	Size	Anchor Hole Size	Plug Length	Screw Gauge	Screw Size	Min Hole Depth	Rec Tensile Load kN	Qty Per Box	Weight Kg Per 100	Price £ per 100
0947E525	5 x 25	5	25	4-6G	2.5-3.5	35	0.20	200	0.04	1.47
0947E630	6 x 30	6	30	6-10G	3.5-5.0	40	0.30	100	0.08	1.88
0947E730	7 x 30	7	30	8-12G	4.5-5.0	40	0.35	100	0.12	2.74
0947E840	8 x 40	8	40	10-14G	5.0-6.0	55	0.45	100	0.15	2.77
0947E1050	10 x 50	10	50	14-18G	6.0-8.0	65	0.90	50	0.29	7.08
0947E1260	12 x 60	12	60	18-24G	8.0-10.0	75	1.10	25	0.52	8.21
0947E1475	14 x 75	14	75	24-32G	10.0-12.0	90	1.90	20	0.74	15.01

Rimless plugs, ideal for fixing wall lights, shelving and cupboards. Often used with coach screws as satellite fixings.



CONNECTORS


TIMBER CONNECTOR - Zinc

Code	Description	Size	Box Qty	Price £ Per 100
0649T0180200	Single Sided	2 x 1/2	50	31.09
0697T0180200	Double Sided	2 x 1/2 (M12 x 50)	50	111.19



SQUARE PLATE WASHER - Zinc

Code	Size	Box Qty	Price £ Per 100
Z0430B0160200	2 x 3/8 x 1/8	100	31.09
Z0430B0180200	2 x 1/2 x 1/8 (M12 x 50)	100	31.09



COLLATED NAILS

**TIMBER
MATE®**

34° PAPER-COLLATED NAILS & GAS

Code	Description	Coating	Box Qty	Number of Fuel Cells	List Price Per Box
1860T2851AR	51mm x 2.8mm Collated Annular Ring Nails	Electro Galv	3300	3	55.94
1860T2863AR	63mm x 2.8mm Collated Annular Ring Nails	Electro Galv	3300	3	62.79
1860T3163AR	63mm x 3.1mm Collated Annular Ring Nails	Electro Galv	2200	2	48.88
1860T3175AR	75mm x 3.1mm Collated Annular Ring Nails	Electro Galv	2200	2	52.79
1860T3190	90mm x 3.1mm Collated Smooth Nails	Electro Galv	2200	2	55.82
1865T2851AR	51mm x 2.8mm Collated Annular Ring Nails	Bright	3300	3	47.56
1865T2863AR	63mm x 2.8mm Collated Annular Ring Nails	Bright	3300	3	53.56
1865T3175AR	75mm x 3.1mm Collated Annular Ring Nails	Bright	2200	2	42.44
1865T3190	90mm x 3.1mm Collated Smooth Nails	Bright	2200	2	46.33
1860TFUELCELL	Champion Gas Fuel Cell 40g/80ml	-	-	1	9.95

- Fuel cells included to suit the quantity of nails per box.
- Tough box is fitted with handy strong reinforced handle.
- Nails fit all popular first fix guns.
- Top quality paper collation system for best market performance.
- Sharp pointed nails for easy penetration.
- D-head clipped design head to maximise number of nails per strip and reduce re-loading times.
- Electro Galvanised plating for indoor and covered outdoor uses.
- Bright finish suitable for indoor applications.



APPLICATIONS

- Timber frame erections
- Refurbishment
- Floor Boarding
- Flat Roofing
- Shuttering
- Chipboard
- Packaging
- Paneling
- Cladding
- Noggins
- Decking
- Fencing
- Soffits
- Joists

COUNT PER KILO

ROUND WIRE NAILS

mm	20	25	30	40	45	50	60	65	75	90	100	125	150
1.60	2710	2120	.	.	.	.	.	.	.	.	.	.	.
1.80	.	1720	.	.	.	.	.	.	.	.	.	.	.
2.00	.	1430	1170	970	.	.	.	.	.	.	.	.	.
2.36	.	.	840	750	640	550	.	.	.	.	.	.	.
2.65	.	.	.	.	575	440	385	350	.	.	.	.	.
3.00	.	.	.	.	.	340	310	275	.	.	.	.	.
3.35	.	.	.	.	.	.	255	230	194	.	.	.	.
3.75	.	.	.	.	.	.	.	.	154	.	.	.	.
4.00	.	.	.	.	.	.	.	.	121	106	68	.	.
4.50	.	.	.	.	.	.	.	.	.	.	77	.	.
5.00	.	.	.	.	.	.	.	.	.	.	66	53	.
5.60	.	.	.	.	.	.	.	.	.	.	.	42	.
6.00	.	.	.	.	.	.	.	.	.	.	.	.	29

CUT NAILS

Length	Quantity
40	616
50	286
60	202
65	175
75	103
90	66
100	48
125	30
150	19
175	13
200	11



GALVANISED STAPLES

mm	15	20	25	30	40	45	50
1.60	2191	.	.	.	.	.	.
2.00	.	1079	.	.	.	.	.
2.65	.	.	486	.	.	.	.
3.35	.	.	290	.	.	.	.
3.55	.	.	.	240	.	.	.
4.00	.	.	.	.	136	110	.
5.00	.	.	.	.	.	.	106

COPPER NAILS

mm	25	30	38	45	50	65
2.36	.	748	.	.	.	.
2.65	740	560	460	400	327	.
3.00	.	470	398	366	276	.
3.35	440	376	335	308	241	195
4.00	.	.	.	.	.	140

LOST HEAD NAILS

mm	40	50	60	65	75
2.36	760	.	.	.	.
2.65	.	420	.	.	.
3.00	.	360	330	270	.
3.35	.	.	270	240	.
3.75	.	.	.	.	160

PANEL PINS

mm	15	20	25	30	40	50
1.25	6400	.	.	.	.	.
1.40	.	3970	2090	.	.	.
1.60	.	3140	2340	1900	1590	.
2.00	.	.	.	.	.	770

ALUMINIUM NAILS

mm	25	30	38	50	60	65	70	75
2.65	.	1848	1596	.	.	.	.	.
3.00	.	.	.	.	.	.	.	.
3.35	1540	.	980	812	680	640	590	530

ANNULAR RING NAILS

mm	20	25	30	40	45	50	65	75	100
2.00	1900	1430	.	.	.	.	.	.	.
2.36	.	.	840	750	.	.	.	.	.
2.65	.	.	.	575	510	440	.	.	.
3.00	.	.	.	.	.	340	.	.	.
3.35	.	.	.	.	.	290	230	.	.
3.75	.	.	.	.	.	.	.	154	110
5.00	.	.	.	.	.	.	.	.	32

GALVANISED CLOUT NAILS

mm	20	25	30	40	50	65	75	100
2.36	.	.	832	698	.	.	.	.
2.65	1035	815	661	570	432	.	.	.
3.00	.	.	540	.	.	.	.	.
3.35	.	.	.	350	290	.	.	.
3.75	.	.	.	.	.	182	150	.
4.50	.	.	.	.	.	.	.	75

FLOOR BRADS

Length	Quantity
50	264
60	198
65	154
75	100

OVAL NAILS

mm	25	30	40	50	65	75	100	125	150
2.253	2253	1480	940	470	230	125	64	44	31

JAGGED PLASTERBOARD NAILS

mm	30	40	50
2.65	700	570	422

GALV SPRING HEAD & SLAB NAILS

mm	65 Spring	100 Slab
3.35	140	100

GALVANISED DRIVE SCREW

mm	50	60	65	70	75	80	90	100	115	120	125	140	150	175
14G (5.4mm)	91	71	70	70	64	61	53	47	43	40	39	37	.	.
16G (6.4mm)	.	.	.	.	.	.	.	34	30	.	28	.	23	.
18G (7.4mm)	.	.	.	.	.	.	.	28	26	.	23	21	19	17

EXTRA LARGE HEAD (ELH) CLOUT NAILS

mm	15	20	25	30	40	50
2.36	650	580	485	600	478	334


TIMBERMATE® NAILS AVAILABLE IN BULK OR SMALL KG QUANTITY

Range Includes:

Round Wire Nails
Oval Brad Nails
Lost Head Nails
Annular Ring Nails
Panel Pins
Dry Wall Nails
Galvanised Round Wire Nails
Clout Head Nails
ELH Clout Nails
Presser Point Staples
Square Twist Nails
Roof Drive Screws
Springhead Nails
Cut Clasp Nails



Range consists of:




Made to British Standard

- Bright
- Galvanised
- Sheradised
- Stainless

TIMBERMATE® GREEN BOXES

- Strong & durable box construction.
- Easy to open – secure to close.



TIMBERMATE® ALSO AVAILABLE IN BLISTER PACKS

Range Includes:

Pozi Countersunk Twin Thread Woodscrew
Pozi Countersunk Single Thread Chipboard Screw
Slotted Round Woodscrew
Slotted Countersunk Woodscrew
Brass Slotted Round Woodscrew
Brass Slotted Raised Woodscrew
Slotted Countersunk Brass Mirror Screw

Clutch Head Twin Thread Security Screw
Stainless Steel Pozi Countersunk
Woodscrew
Surface Screw Cup
Pozi Screw Cover Cap
Screw Cover Cap



- Product information and use detailed on reverse.
- Robust durable vacuum packed
- Barcoded for quick sale.
- Product coded.
- Clear packaging.

TERMS & CONDITIONS: Please note that whilst every care has been taken in the production of this publication, the publishers cannot be held responsible for any errors and omissions. All images are provided for illustration purposes only. E&OE. Prices shown were correct at date of going to press, but are subject to change and are exclusive of VAT



HARRISON & CLOUGH Ltd. P.O. Box 9, Keighley, West Yorkshire, BD21 4EG
Tel: 0844 571 22 22 • Fax: 0844 571 22 33 • sales@harclo.com • www.harclo.com

